



The universal intranasal balloon

A novel approach for an atraumatic management of intranasal bleeding


2 MAX


CAVI-T

dianosio

CAVI-T[®] : the alternative to nasal tampons







CAVI-T® advantages

Advantages for healthcare professionals

- Treatment of anterior and posterior bleeding
- Low pressure balloon allowing optimal conformation to the anatomy
- Easy insertion with alignment markers for guided and controlled positioning
- Rapid control of bleeding (90% of patients at 1h)⁽¹⁾
- Homogenenous compression of the nasal cavity allowing the reduction of blood secretions
- Adequate for challenging cases (e.g. elderly coagulopathic population)
- Designed to promote ambulatory care
- Potential for reduction of readmission ratesd
- Distancing between the patient and healthcare professional

Advantages for patients

Quality of life improvement:

- Reduced pain upon removal (1.6 / 10 on a VAS*)⁽¹⁾
- Breathing channel
- Visually discreet product
- Rapid return to daily life activities
- Removal by a home-care nurse

(1) Pilot clinical trial of an asymmetrical balloon (CAVI-T[™]) in the treatment of intranasal bleeding in adult patients managed in an emergency setting. C Debry et al. Manuscript submitted to Rhinology Online on May 4th, 2020.

* VAS = Visual Analogue	Scale
-------------------------	-------

Physiological compression (ergonomic design, suitable for challenging petients (e.g. coagulopathic)		8	X	8	 Image: A transformed state of the state of t
Ease of use	0	S	8	S	8
Single reference for both anterior and posterior bleeding	⊘	8	8	***	8
Breathing channel	0	8	8	(**)	0
Visually discreet	0	Ø	Ø	Ø	\bigotimes

(*) Only RR 900 is indicated for posterior bleeding (**) Only for RR 551, RR 553, RR 751 et RR 753



C·AVI-T

CAVI-T[®] in brief :



A uniquely designed, low pressure balloon, discreet and respectful of patient anatomy, indicated for treatment of anterior and posterior bleeding



Bleeding arrest in 90% of patients at 1h⁽¹⁾



Maintenance of patienthealthcare professional distancing



Easiness of patient management including complicated cases (e.g. coagulopathic)



Adequate for ambulatory care. Potential of readminission rates rates reduction



Can be removed by a homecare nurse



Minor pain upon removal (1.6 / 10 on a VAS*) (1) Pilot clinical trial of an asymmetrical balloon (CAVI-T[™]) in the treatment of intranasal bleeding in adult patients managed in an emergency setting. C Debry et al. Manuscript submitted to Rhinology Online on May 4th, 2020. * VAS = Visual Analogue Scale

The patient being at the core of dianosic priorities, each healthcare professional willing to use CAVI-T[®] will benefit for ad-hoc training. Our digital training and virtual reality tools offer a remote and personalized support

	Product reference
CAVI-T asymmetric balloon (box of 10 units)	DBA01D

Novus Sağlık Ürünleri Ar-Ge Dan. İnş. San. Ve Tic. Ltd. Şti. www.novusarge.com info@novusarge.com Tel: (0312) 241 50 90 Fax: (0312) 241 50 91



OVUS Sağlık Ürünleri Ar-Ge Danışmanlık